
DekPro InvisiCable[™]




A simple, affordable cable railing option for the value conscious consumer that wants the look of cable but at a lower cost. Proudly made in the USA of 316 marine-grade stainless steel components and cable.

Kit includes 1 run of cable with 2.75" broached threaded tensioner, Pull-Lock fitting, two end caps, washers and brass Nylock hex nut. Kits are field trimmable to the proper length and come in 5' increments to 30' then 40' and 50'.

Don't confuse this kit with a competitors – we include **BOTH** end caps in each kit!

Perfect for interior and exterior use - decks, docks, balconies and stairways utilizing wood or solid composite posts. Fittings are concealed in the post creating a clean, almost invisible infill. Holes are drilled straight through the post and no angled holes or beveled washers are required.

Backed by ADI[™] and DekPro[™] Manufacturing with a 10 Year Warranty



For level runs:

• Threaded Tensioner to Pull-Lock[®].

For stairs, pitched runs:

• Threaded Tensioner to Pull-Lock® with 3/4" Post Protector Sleeve







DekPro InvisiCable™ for Wood






Cable railing kit made in USA from 1/8" high quality 316 grade stainless steel. Includes 1 strand of cable with 2.75" threaded stud on one end, Pull-Lock™ fitting, washers, nut and 2 end caps.

Item #: IC05 - 5' Cable Kit Item #: IC10 - 10' Cable Kit Item #: IC15 - 15' Cable Kit Item #: IC20 - 20' Cable Kit Item #: IC25 - 25' Cable Kit Item #: IC30 - 30' Cable Kit Item #: IC40 - 40' Cable Kit Item #: IC50 - 50' Cable Kit




Sold in kits.






Cable Railing Overview

Framework for Cable Railing



Guidelines for proper installation of the ADI[™] cable railing system by RailFX[™]

- Use minimum 4x4 wood posts.
- Top rail is required to support posts. (Bottom rail is optional)
- Cables to be spaced at 3-1/8" on center.
- Cable must be supported every 48" to keep the cable from deflecting over 4" to pass code.
- Cables are to be tensioned to 225 lbs of tension minimum.
- 36" Rail height typically uses 10 runs of cable, 42" rail height typically uses 12 runs of cable.
- · Lag style cable fittings are required for cable being used with sleeved posts.
- If two posts are used on a corner of the deck, the cable can run through the corner by making a 45 degree turn through the posts with the use of post protector tubes.



For level runs:

- 224 Series (outside to outside) 2-3/8" Invisiware® Receiver to Pull-Lock®.
- FlexFX Level Cable Fittings Lag style, Swageless Push-lock fittings. Level Tensioner & Non-Tensioner

For stairs, pitched runs:

FlexFX - Stair Cable Fittings Lag style, Swageless Push-lock fittings. Stair Tensioner & Non-Tensioner







Cable Railing Kits for Wood - Level







PULL-LOCKTM END FITTING





Outside of Post to Outside of Post Rail Kit - Wood Post

Sold in kits.

Cable railing kit made in USA from 1/8" high quality 316 grade stainless steel. Includes 1 strand of cable with one swedged end, applicable washers, Invisiware[®] receiver, Pull-Lock[™] end fitting and end cap. Minimum of 3" clearance between end post and structure is required.

Individual Cable Kits

Item #: 22405 - 5' Cable Kit	
Item #: 22410 - 10' Cable Ki	t
Item #: 22415 - 15' Cable Ki	t
Item #: 22420 - 20' Cable Ki	
Item #: 22425 - 25' Cable Ki	
Item #: 22430 - 30' Cable Ki	
Item #: 22440 - 40' Cable Ki	
Item #: 22450 - 50' Cable Ki	
Item #: 22460 - 60' Cable Ki	
Item #: 22470 - 70' Cable Ki	t




10 Pack Cable Contractor Packs

Cable contractor packs include 10 - cables with one swedged end, 10 - Invisiware[®] receivers, 10 - Pull-Lock™ end fittings w/ end caps and applicable washers.

Item #: 22405-10 - 5' (Item #: 22410-10 - 10' Item #: 22415-10 - 15' Item #: 22420-10 - 20' Item #: 22425-10 - 25'	Cable Kits Cable Kits Cable Kits
Item #: 22425-10 - 25' Item #: 22430-10 - 30'	

Item #: 22430-10 - 30' Cable Kits Item #: CSD316 - Step Drill Bit to make 29/64" hole for fitting and 3/16" hole for cable.











FlexFX[™] Cable Railing for Wood - Level





FlexFX[™] - Cable Fittings for Wood

Sold in any quantity.

Cable railing and fittings made in USA from high quality 316 grade stainless steel. Designed to work for wood posts. Pre-drill wood post using 7/32" drill bit.

Level Non-Tensioner Fittings

Item #: RFXWLN1/8 - 1/8" Fitting Item #: RFXWLN1/8-10 - 1/8" Fitting (10 Pack)



TENSIONER

addaddada.

Item #: RFXWLN3/16 - 3/16" Fitting

Level Tensioner Fittings

Item #: RFXWLT1/8 - 1/8" Fitting Item #: RFXWLT1/8-10 - 1/8" Fitting (10 Pack)

Item #: RFXWLT3/16 - 3/16" Fitting


Fitting Dimensions available for reference on page 130

Bulk Cable

Item #: RFXCABLE100 - 100' Spool of 1/8" Cable Item #: RFXCABLE500 - 500' Spool of 1/8" Cable

Item #: RFXCABLE100-6 - 100' Spool of 3/16" Cable Item #: RFXCABLE500-6 - 500' Spool of 3/16" Cable









Sold in any quantity.

NON-TENSIONER

TENSIONER

STAINLES



FlexFX[™] Cable Railing for Wood - Stair



FOR WOOD

FlexFX[™] - Cable Fittings for Wood

Cable railing and fittings made in USA from high quality 316 grade stainless steel. Designed to work for wood posts. Pre-drill wood post using 7/32" drill bit.

Stair Non-Tensioner Fittings

Item #: RFXWSN1/8 - 1/8" Fitting Item #: RFXWSN1/8-10 - 1/8" Fitting (10 Pack)

Item #: RFXWSN3/16 - 3/16" Fitting

Stair Tensioner Fittings

Item #: RFXWST1/8 - 1/8" Fitting Item #: RFXWST1/8-10 - 1/8" Fitting (10 Pack)

Item #: RFXWST3/16 - 3/16" Fitting




Fitting Dimensions available for reference on page 130

Bulk Cable

Item #: RFXCABLE100 - 100' Spool of 1/8" Cable Item #: RFXCABLE500 - 500' Spool of 1/8" Cable

Item #: RFXCABLE100-6 - 100' Spool of 3/16" Cable Item #: RFXCABLE500-6 - 500' Spool of 3/16" Cable









FlexFX[™] Cable Railing for Composite Sleeve - Level



FOR

FlexFX[™] XL - Cable Fittings for Composite Sleeves

Sold in any quantity.

Cable railing and fittings made in USA from high quality 316 grade stainless steel. Designed to work for composite sleeved wood posts. Pre-drill using 7/32" drill bit.

XL - Level Non-Tensioner Fittings

Item #: RFXWLN1/8XL - 1/8" Fitting Item #: RFXWLN1/8XL-10 - 1/8" Fitting (10 Pack)

Item #: RFXWLN3/16XL - 3/16" Fitting

XL - Level Tensioner Fittings

Item #: RFXWLT1/8XL - 1/8" Fitting Item #: RFXWLT1/8XL-10 - 1/8" Fitting (10 Pack)

Item #: RFXWLT3/16XL - 3/16" Fitting

Bulk Cable

Item #: RFXCABLE100 - 100' Spool of 1/8" Cable Item #: RFXCABLE500 - 500' Spool of 1/8" Cable

> Recommended Spacing: 3 1/8' On Center

Item #: RFXCABLE100-6 - 100' Spool of 3/16" Cable Item #: RFXCABLE500-6 - 500' Spool of 3/16" Cable



COMPOSITE SLEEVES 1" Longer Lag Fitting Dimensions available for reference on page 130 124





XL - NON-TENSIONER









FlexFX[™] Cable Railing for Composite Sleeve - Stair



FOR

COMPOSITE

SLEEVES

1" Longer Lag

Fitting Dimensions available for reference on page 130

FlexFX[™] XL - Cable Fittings for Composite Sleeves

Sold in any quantity.

XL - NON-TENSIONER

XL - TENSIONER

STAINLESS STEEL CARL

Cable railing and fittings made in USA from high quality 316 grade stainless steel. Designed to work for composite sleeved wood posts. Pre-drill using 7/32" drill bit.

XL - Stair Non-Tensioner Fittings

Item #: RFXWSN1/8XL - 1/8" Fitting Item #: RFXWSN1/8XL-10 - 1/8" Fitting (10 Pack)

Item #: RFXWSN3/16 - 3/16" Fitting

XL - Stair Tensioner Fittings


Item #: RFXWST1/8XL - 1/8" Fitting Item #: RFXWST1/8XL-10 - 1/8" Fitting (10 Pack)

Item #: RFXWST3/16XL - 3/16" Fitting

Bulk Cable

Item #: RFXCABLE100 - 100' Spool of 1/8" Cable Item #: RFXCABLE500 - 500' Spool of 1/8" Cable

Item #: RFXCABLE100-6 - 100' Spool of 3/16" Cable Item #: RFXCABLE500-6 - 500' Spool of 3/16" Cable







Cable Braces

		Available in:	Cable Brace for Level and Stair (1/8" Cable Only)
19	•	Black	Sold in any quantity.
*	11	() Anodized	3/4" Aluminum cable brace is available pre-drilled with 12 holes at 3-1/8" spacing on center for level and stair runs. Available undrilled for unique installations. Trimmable to fit any rail height. Cable braces are used
÷			between newel posts that are greater than 48" apart to keep cables from deflecting over 4". Connectors and stainless steel screws included.
-			Pre-Drilled 42" Level
	11 -		Item # CB42BLAL13/P - Black Item # CB42ANAL13/P - Anodized
			Pre-Drilled 50" Stair
			Item # CB50BL12/P - Black Item # CB50AN12/P - Anodized
			UnDrilled 42" Level or Stair
			Item # CB42BLAL/P - Black Item # CB42ANAL/P - Anodized
		Made in USA	*Pictures do not reflect full length of cable brace*








Cable Railing Tools




Sold in packs of 10. Stainless Steel protector tubes are inserted into wood post where cable enters/exits at an angle to prevent cable from biting into the wood. 1/4" diameter with 3/8" tapered end.

Item #: ICTUBE/10 - 3/4" Length - 10 pack Item #: CSTUBE6 - 1-1/2" Length - Individual









Push Lock Release Key

Sold in any quantity.

Release key allows the release of an untensioned cable from Pull-Lock[™] and FlexFX[™] fittings. Also used to release fittings to aid installation.

Item #: RFXPLKEY/R





Cable Gripping Pliers

Sold in any quantity.

Used to securely grip cable to avoid winding during installation which eliminates the most common issue of cables losing tension. Cable gripping pliers are recommended for professional installers.

Item #: RFXPLIERS












Sold in any quantity.



Huge time saving tool makes installing the FlexFX™ non-tensioning lag fitting quick and easy. Used with WLN series cable fittings.

Item #: RFXDRIVER/R





ADI[™] Cable Railing Basic Install Kit

Sold as a Kit.

Installation tools for basic cable railing installations. Kit includes 29/64", 7/32", 9/32", and 5/32" diameter high quality Norseman drill bits, 2 cut off wheels w/ mandrel, push lock release tool, 3/16" heavy duty hex wrench, 1/8" hex wrench, and 7/16" wrench

Item #: ADICRKIT





FlexFX[™] Cable Railing Install Kit

Sold as a Kit.

Installation tools for FlexFX[™] Swageless lag style cable railing. Kit includes 7/32", 1/4" and 5/32" diameter drill bits, 2 push lock release keys, cable gripping tool, Push-Lock lag driver, 5/32" allen wrench, and 2 - 3" combo wrenches.

Item #: RFXINSKIT



ADI[™] Cable Railing by RailFX[™]





Sold in any quantity.

Sold in Packs of 2.



Cable Lacing Needle (1/8" Cable Only)

Used to pass 1/8" cable through posts without snagging / fraying during installation. Fits 3/16" diameter hole or larger.

Item # RFXNEEDLE - Cable Lacing Needle





QuickGrip Cable Tool

Used to grip cable to avoid winding during installation which eliminates the most common issue of cables losing tension. Tool is recommended for single installations.

Item #: RFXGRIPPER






Cable Railing Drill Bits

For wood, to make 29/64" hole for Invisiware receiver / Pull-Lock fittings. Step drill bit creates a 3/16" hole for the cable using a single drill bit.

Item #: CSD316 - ADI Step Drill Bit (29/64" to 3/16")

Item #: 29/64DRILL - 29/64" Drill Bit



Sold in any quantity.



EZ-Clean Metal Cleaner / Protectant

Sold in any quantity.

Sold in any quantity.

Cleaner / Protector dissolves minor corrosion and leaves a protective coating that lasts for months. Includes 8 oz. rust and stain remover and 4 oz. bottle of protectant.

Item #: RFXEZCLEAN

Cable Tension Gauge

Used to determine proper tension of cables.

Item # RFXPTCR - Tension Gauge










FlexFX[™] Cable Fitting Reference Guide

FLexFX[™] Cable Fittings for Wood




Level - Non-Tensioner for Composite (RFXWLN1/8XL)



Level - Tensioner for Composite (RFXWLT1/8XL)



Stair - Non-Tensioner for Composite (RFXWSN1/8XL)



Stair - Tensioner for Composite (RFXWST1/8XL)











