Fortress® Glass Panel Rail Overview



Use the steps below for the following pages to complete your rail



IMPORTANT:

Please note: Caution must be exercised since off the shelf glass panel systems have size limitations and are not flexible to field adjustments such as ADI's other rail systems.

Additionally and most importantly is that the contractor / installer understands the parameters of the Pure View® Glass Rail system. Ultimately it is the contractor that will have to provide the list of railing materials required for the project since field measurements are required as well as an understanding of post placement / spacing to correlate to the glass panel sizes.

Fortress® Glass Panel Rail Overview

Pure View® Glass Panel System Design & Ordering Guidelines

- There are 10 widths of tempered glass panels available. This is a limiting factor for each project. (If custom glass is required then only rails, posts and brackets will be required.)
- Glass Panel widths start at 12.25" and increment up in 5" 6" increments.
 12.25, 18.25, 24.25, 31.25", 36.25", 41.25", 46.25", 51.25", 56.25", and 61.25".
 Glass thickness is ¼" nominal (6 mm). SEE CHART BELOW

Glass: 6mm Thick, Clear Tempered, Two Heights: 33" and 39"

Glass Size	Item #	O.C. Post Spacing (3" Post)	Between Post Spacing (Face to Face)
33" x 12.25"	55533129	18" to 23"	15" to 20"
39" x 12.25"	55539129		
33" x 18.25"	55533189	24" to 29"	21" to 26"
39" x 18.25"	55539189		
33" x 24.25"	55533249	30" to 35"	27" to 32"
39" x 24.25"	55539249		
33" x 31.25"	55533319	37" to 42"	34" to 39"
39" x 31.25"	55539319		
33" x 36.25"	55533369	42" to 47"	39" to 44"
39" x 36.25"	55539369		
33" x 41.25"	55533419	47" to 52"	44" to 49"
39" x 41.25"	55539419		
33" x 46.25"	55533469	52" to 57"	49" to 54"
39" x 46.25"	55539469		
33" x 51.25"	55533519	57" to 62"	54" to 59"
39" x 51.25"	55539519		
33" x 56.25"	55533569	62" to 67"	59" to 64"
39" x 56.25"	55539569		
33" x 61.25"	55533619	67" to 72"	64" to 69"
39" x 61.25"	55539619		

- Minimum opening size for glass panel is 15" and maximum opening is 69" between posts (Factors in 1.5" brackets attached to posts) Posts are 3" AL13+ (aluminum).
- Brackets protrude into railing opening approx. 1.5" on each side from post thus limiting how close a panel can be placed to a post.
- Posts, rails and all brackets are AL13+ Aluminum. Available from ADI™ in, White and Black Sand (NS).
- Glass Panel system is designed for <u>level applications only</u> Stairs would typically use 4" Glass Pure View Baluster system. (Option: Fortress rack-able stair panels with pickets.)
- Some layouts may **NOT** be appropriate for this glass system.
- Due to the delicate nature of glass there will be skid, packaging and freight assessed to each order.

Quotes will be handled by a two step process:

- 1.) Qualifying the prospect through a budgetary estimate using a lineal foot cost.
- 2.) If job is accepted, a formal quote will be provided based off actual deck dimensions and quantities provided by contractor.



Fortress® Railing ONLY available in: MN, WI, IA, ND, SD, NE, KS and MO






ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS



Fortress® Al¹³⁺ Pure View® Glass Railing - Glass Panel



Available in: White

6' Pure View® Glass Panel Top and Bottom Rails

Slotted top and bottom aluminum rails are designed to accept 1/4" full glass panels into the rail. Rail height is determined by the height of glass installed. Rails included spacers and rubber gasket.

PureView glass balusters are suggested for stair installations.

Brackets sold separately, see page 205.


Level (68.5" Actual Length)

Item # 55111601 - White Item # 55111608 - Black Sand (Textured)



Available in:

Clear



Pure View® Full Glass Panel Inserts - Level Only

Sold in any quantity.

Pure View 1/4" tempered glass panels for level railing. Available in 10 lengths to accommodate most installations. If standard glass sizes do not fit, then custom glass must be locally sourced. PureView glass balusters are suggested for stair installations.

36" Rail Height

Item # 55533129 - 33" x 12-1/4" glass panel for 15" to 20" opening Item # 55533189 - 33" x 18 -1/4" glass panel for 21" to 26" opening Item # 55533249 - 33" x 24-1/4" glass panel for 27" to 32" opening Item # 55533319 - 33" x 31-1/4" glass panel for 34" to 39" opening Item # 55533369 - 33" x 36 -1/4" glass panel for 34" to 49" opening Item # 55533419 - 33" x 41-1/4" glass panel for 44" to 49" opening Item # 55533469 - 33" x 46 -1/4" glass panel for 49" to 54" opening Item # 55533519 - 33" x 51-1/4" glass panel for 54" to 59" opening Item # 55533569 - 33" x 56 -1/4" glass panel for 59" to 64" opening Item # 55533619 - 33" x 61-1/4" glass panel for 64" to 69" opening

42" Rail Height

Item # 55539129 - 39" x 12-1/4" glass panel for 15" to 20" opening **Item # 55539189** - 39" x 18 -1/4" glass panel for 21" to 26" opening Item # 55539189 - 39" x 18 - 1/4" glass panel for 21" to 26" opening Item # 55539249 - 39" x 24-1/4" glass panel for 27" to 32" opening Item # 55539319 - 39" x 31-1/4" glass panel for 34" to 39" opening Item # 55539369 - 39" x 36 - 1/4" glass panel for 39" to 44" opening Item # 55539419 - 39" x 41-1/4" glass panel for 44" to 49" opening Item # 55539519 - 39" x 46 - 1/4" glass panel for 54" to 59" opening Item # 55539569 - 39" x 56 - 1/4" glass panel for 59" to 64" opening Item # 55539619 - 39" x 51-1/4" glass panel for 59" to 64" opening Item # 55539619 - 39" x 51-1/4" glass panel for 59" to 64" opening Item # 55539619 - 39" x 51-1/4" glass panel for 64" to 69" opening Item # 55539619 - 39" x 61-1/4" glass panel for 64" to 69" opening



Fortress[®] Railing <u>ONLY</u> available in: MN, WI, IA, ND, SD, NE, KS and MO





ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS



Fortress® Al¹³⁺ Pure View® Glass Railing - 4" Glass Balusters





Black Sand

6' - Pure View® Baluster Glass Top & Bottom Rails

sold in pairs.


Slotted top and bottom aluminum rails are designed to evenly space and accept 3-3/4" glass balusters into the rail. Rail height is determined by the height of glass installed. **Brackets sold separately, see page 205.**

Level (69" Actual Length)

Stair (73" Actual Length)

Item # 51172091 - White Item # 51172098 - Black Sand (Txt) Item # 51272091 - White Item # 51272098 - Black Sand (Txt)

Level and stair require 9 glass balusters per 6' rail section.



Available in: Clear

Pure View® Glass - Level

Sold in packs of 5. 3/case.

34" & 40" Pure View 5/16" tempered glass balusters that are 3-3/4" wide for level installations.

Item # 660520 - 34" Level Glass for 36" Rail Height Item # 660540 - 40" Level Glass for 42" Rail Height



Available in: Clear

Pure View® Glass - Stair

Sold in packs of 5. 3/case.

34" & 40" Pure View 5/16" tempered glass balusters that are 3-3/4" wide for stair installations.

Item # 660530 - 34" Stair Glass for 36" Rail Height **Item # 660550** - 40" Stair Glass for 42" Rail Height



Fortress[®] Railing ONLY available in: MN, WI, IA, ND, SD, NE, KS and MO





ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS




Fortress® Al¹³⁺ Welded Aluminum Panels



Top / bottom rail measure 1-5/8" x 1" and Infill balusters are 3/4" square for both

level and stair panels.



Available in: White Black Sand

6' - Al¹³⁺ Traditional Aluminum Panel

Sold in any quantity

34" x 69" Fortress Al¹³ welded aluminum panel achieves a total railing height of 36". 40" x 69" Fortress Al¹³ welded aluminum panel achieves a total railing height of 42." **Brackets sold separately, see page 205.**

36" Rail Height (34" x 69" Panel)

Item # 51134691 - White Item # 51134698 - Black Sand (Txt) **42" Rail Height** (40" x 69" Panel)

Item # 51140691 - White Item # 51140698 - Black Sand (Txt)

8' - Al¹³⁺ Traditional Aluminum Panel

34" x 93" Fortress Al¹³⁺ welded aluminum panel achieves a total railing height of 36". 40" x 93" Fortress Al¹³⁺ welded aluminum panel achieves a total railing height of 42." **Brackets sold separately, see page 205.**

36" Rail Height (34" x 93" Panel)

Item # 51134931 - White Item # 51134938 - Black Sand (Txt)

42" Rail Height (40" x 93" Panel)

Item # 51140931 - White Item # 51140938 - Black Sand (Txt)

Fortress® Al¹³⁺ Adjustable Aluminum Stair Panels



Available in: White Black Sand

8' - Al¹³⁺ Adjustable Stair Aluminum Panel

Sold in any quantity

Fortress Al¹³ aluminum panel for stairs and ramps, achieves a total railing height of either 36" or 42". Panel adjustable from 5° - 45° . Brackets sold separately, see page 205.

36" Rail Height (34" x 93" Panel)

42" Rail Height (40" x 93" Panel)

Item # 51234721 - White Item # 51234728 - Black Sand (Txt)

Item # 51240931 - White Item # 51240938 - Black Sand (Txt)





ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS

Fortress® Al¹³⁺ Gate Kits





Al¹³⁺ Aluminum Gate Uprights

Sold in Pairs.

Fortress Al¹³ welded Aluminum gate uprights. Simply trim panel to size (not included), then install uprights and secure. Rail panel, hinges and latch sold separately.

36" Rail Height (34")

Item # 51534051 - White Item # 51534058 - Black Sand (Textured)

42" Rail Height (40")

Item # 51540051 - White Item # 51540058 - Black Sand (Textured)







Black

Gate Hinge Set with 1" Legs

Sold in pairs.

Self closing tension adjustable, Nylon gate hinges with 1" legs. Maximum self-closing weight of 55 lbs. Includes screws.

Item #: WHITENYLHINGE - White Item #: BLACKNYLHINGE - Black





Available in:

White

Black

Gate Latch

12 G

15

A quality and affordable latch for general-purpose gates. Combines the unique benefits of key-lockability and reliable latching action with superior design and rust proof components. Fits square posts. Includes screws.

Item #: WHITELATCH - White Item #: BLACKLATCH - Black





White

Black Sand

Colors shown are an approximate representation only, please see actual product sample when selecting color RED item numbers denote NON STOCK special order. Please allow for 3 week lead time.




Fortress® Railing ONLY available in: MN, WI, IA, ND, SD, NE, KS and MO





ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS

Fortress® Al¹³⁺ Posts, Caps & Skirts



Available in: White

Black Sand

Al¹³⁺ Aluminum 3" Post with 2 pc. Skirt

3" x 39-1/2" Aluminum post with 5-1/2" flange and skirt to install panels at a 36" railing height. Flange holes are 1/2" for fasteners. Includes skirt for base.

Item # 51339011 - White Item # 59339038 - Black Sand (Textured))

3" x 45-1/2" Aluminum post with 5-1/2" flange and skirt to install panels at a 42" railing height. Flange holes are 1/2" for fasteners. Includes skirt for base.

Item # 51345011 - White Item # 59345038 - Black Sand (Textured)



FortressAccents 3" Post Cap

Sold in any quantity.

Accents flat die cast aluminum post cap for 3" post.

Item # 52500031 - White **Item # 52500038** - Black Sand (Textured)




3" Post Skirt 2 pc. - Replacement

Sold in any quantity.

Post base cover included. Also sold separately. Measures 5-3/4" x 1-1/2" with 3-1/8" opening.

Item # 51500031 - White Item # 51500038 - Black Sand (Textured)





Available in: White

Black Sand

FortressAccents™ Post Cap with Optional Light Kit

Sold in any quantity.

Accents flat die cast aluminum post cap for 3" post. Light kit draws 2 watts. Light color - 2600K. Includes wire nuts and 60" lead wire.

Must purchase LED cap light kit along with cap.

3" Post Cap

Item # 52500031 - White **Item # 52500038** - Black Sand (Textured)

Light Kit

Item # 52500000P - LED Light Kit



FortressAccents Plug-N-Play





Available in:

Absolute

DekPro™ EFFEX 3" Post Caps

Sold in any quantity.

Optional DekPro aluminum post cap with textured finish. Available in pyramid or flat top styles with both non-lighted and lighted options. LED lights features Quick Connect wiring system for easy installation.

Item # DPPC3FABT - Flat Top Item # DPPC3PABT - Pyramid

Item # DPPC3FDLABT - Flat Top Down Light Item # DPPC3PDLABT - Pyramid Down Light

Item # DPPC3FBLABT - Flat Top Glow Ring Item # DPPC3PBLABT - Pyramid Glow Ring



DekPro Quick Connect System







ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS

Fortress® Al¹³⁺ Rail Brackets



White

Al¹³⁺ Evolve External Bracket - Level

Sold in baas of 4.

Top and bottom rails drop into brackets for level / straight applications with a cap to cover for a finished look. Includes screws for wood and metal applications.

Item # 51500211 - White Item # 51500218 - Black Sand (Textured)





Available in: White

Al¹³⁺ Evolve External Bracket - Stair

Sold in bags of 4.

Top and bottom rails drop into brackets for stair applications with a cap to cover for a finished look. Adjustable up to a 55 degree angle. Includes screws for wood and metal applications.

Item # 51500311 - White Item # 51500318 - Black Sand (Textured)





Available in:

White

Black Sand

Al¹³⁺ Evolve External Bracket - Angle / Miter

Sold in bags of 4.

Top and bottom rails drop into brackets for level angle/miter applications with a cap to cover for a finished look. Adjustable up to a 45 degree angle. Includes screws for wood and metal applications.

Item # 51500411 - White Item # 51500418 - Black Sand (Textured)







Black Sand

Colors shown are an approximate representation only, please see actual product sample when selecting color

Fortress® Railing ONLY available in: MN, WI, IA, ND, SD, NE, KS and MO





ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS

Fortress® Al¹³⁺ Accessories



Available in:

Al¹³⁺ Aluminum Support Block

Sold in any quantity.

3-3/4" Support block provides additional support at mid-span of rail.

Item # 55535001 - White Item # 55535008 - Black Sand (Textured)





White

Al¹³⁺ Glass Panel Spacer - Replacement Part

Sold in any quantity.

Glass panel spacers used between glass panel and rail bracket available for replacement. Measures 2-15/16" in length.

Item # 55503781 - White Item # 55503788 - Black Sand (Textured)



Available in: White Black Sand

Al13+ Touch Up Paint

Sold in any quantity.

Available in two convenient sizes.

Spray Can

Paint Pen

Item # 660371 - White Item # 660378 - Black Sand

Item # 660361 - White Item # 660368 - Black Sand



Fortress[®] Railing <u>ONLY</u> available in: MN, WI, IA, ND, SD, NE, KS and MO





ACTUAL FREIGHT CHARGES APPLY TO FORTRESS® RAIL ORDERS







